

INDICATION

QUTENZA® (capsaicin) 8% topical system is indicated in adults for the treatment of neuropathic pain associated with postherpetic neuralgia (PHN) and for neuropathic pain associated with diabetic peripheral neuropathy (DPN) of the feet.

IMPORTANT SAFETY INFORMATION

 Treatment with QUTENZA must be performed only by a healthcare provider. You should never apply or remove QUTENZA yourself.

Please see additional Important Safety Information on last page.



Understanding diabetic nerve pain of the feet

Nerve damage can happen over time when your blood sugar is high due to diabetes. These damaged, unhealthy nerves send too many pain signals to your brain, resulting in pain in your feet.

Common symptoms:

Burning pain in the feet



Shooting, stabbing, or a feeling of walking on broken glass



Foot numbness or loss of feeling



IMPORTANT SAFETY INFORMATION (cont)

 Do not touch QUTENZA or items exposed to capsaicin. Touching QUTENZA and then accidentally touching other areas of your body can cause severe irritation of eyes, mucous membranes, respiratory tract, and skin.

Please see additional Important Safety Information on last page.



MORE THAN 2.5 MILLION

people live with diabetic nerve pain despite trying other treatments.



Key features of QUTENZA

QUTENZA is an FDA-approved topical treatment for diabetic nerve pain of the feet.



30-minute. non-surgical treatment



Applied in-office by a healthcare provider



Can be used alone or with other medications



Non-addictive



Not another daily pill



No drug-drug interactions



Well-studied safety profile





QUTENZA may not be repeated more frequently than every 3 months.

IMPORTANT SAFETY INFORMATION (cont)

• Do not touch your eyes or other unintended target areas during the QUTENZA application. QUTENZA is not for use near eyes or mucous membranes. Do not sniff or inhale near QUTENZA as this may cause you to cough or sneeze. If irritation of eyes or airways occurs or any side effects become severe, notify your doctor immediately.

Please see additional Important Safety Information on last page.

Clinical study results: Lasting relief from diabetic nerve pain of the feet

reduction in pain 30% with QUTENZA over a period of 12 weeks*

DAYS

is how early patients have experienced significant pain relief after a single application

OF PATIENTS

preferred to continue with QUTENZA + Standard of Care after one year of ongoing treatments

*Pain from baseline to Week 12 compared to 22% for placebo.

Placebo = substance with no active ingredient. Standard of Care = treatment a healthcare provider was already giving a patient prior to starting trial with QUTENZA.

"As the treatments went on, the pain got better."

Individual results may vary.

- Tom, current QUTENZA patient



The science of QUTENZA: source of your pain

Achieve ongoing pain relief with

Targeting and treating the

the QUTENZA treatment cycle.

The cycle of diabetic nerve pain of the feet

Damaged nerves send too many pain signals to your brain, resulting in pain in your feet.

UP 3 MONTHS OF PAIN RELIEF 4XAYEAR*

Targeted prescriptionstrength patch

During a 30-minute treatment, the medicine absorbs into your skin and travels to the damaged nerves in your feet.

Nerve regrowth

Over time, the nerves in your feet regain the ability to send out pain signals, causing pain to return. Treatment with QUTENZA may be done every 3 months as warranted by the return of pain.

Due to the chronic nature of diabetic nerve pain of the feet, ongoing treatments with QUTENZA may be necessary to achieve optimal benefit.

Reduces pain signals

QUTENZA reaches these damaged nerves and helps reduce the number of pain signals sent to your brain.



Visit **QUTENZA.com**to learn more about
treatment with QUTENZA.

IMPORTANT SAFETY INFORMATION (cont)

• The treated area may be sensitive to heat (e.g., hot showers/bath, direct sunlight, vigorous exercise) for a few days following treatment.

Please see additional Important Safety Information on last page.

6 7

^{*}QUTENZA may not be repeated more frequently than every 3 months.



When it comes to treatment, what's important to you?



IMPORTANT SAFETY INFORMATION (cont)

 You may experience substantial pain during the treatment. Tell your healthcare provider if you are experiencing pain; a cool compress or medicine for the pain can be provided to help lessen your discomfort.

Please see additional Important Safety Information on last page.

Talk to your healthcare provider about the pain you're experiencing

Could diabetes be causing pain in my feet?

What can I do to reduce the pain?

What treatments are available?

What are the benefits and risks of different treatments?

It's important that you share how diabetic nerve pain is affecting your daily activities.



Ask your healthcare provider if QUTENZA could be right for you

Is it possible that QUTENZA could help my symptoms?

How does it work?

How long does it take to work?

How long does pain relief last?

Are there side effects from the treatment?

Would you be open to trying QUTENZA to see if it works for me?

Visit **QUTENZA.com** to find a specialist.




3



Dosing around your schedule – just 4 treatments a year

Scan the code to receive communications and stay on track with treatment at **QUTENZA.com**.





It's important to have your next QUTENZA treatments scheduled to help ensure ongoing relief from diabetic nerve pain.

UP TO MONTHS OF PAIN RELIEF


A YEAR

QUTENZA may not be repeated more frequently than every 3 months.

IMPORTANT SAFETY INFORMATION (cont)

 QUTENZA can cause serious side effects, including pain and increases in blood pressure during or right after treatment. Your healthcare provider should check your blood pressure during treatment with QUTENZA. If you have high blood pressure that is not well controlled by medicine, or have had recent heart problems, stroke, or other vascular problems, you may be at increased risk and should discuss with your doctor whether QUTENZA is right for you.

Please see additional Important Safety Information on last page.





Get on to your own great feats

Think about what you have planned in the next few weeks and in the future – events, plans, family trips – and what less foot pain could mean. Track your treatment goals and progress.

Track your goals.

Goal: Host holiday party for family.	
Goal:	-
Goal:	-
Goal:	

IMPORTANT SAFETY INFORMATION (cont)

• Tell your doctor if you have reduced sensation in the feet. You may notice that you have less feeling for hot or sharp pain where QUTENZA was applied, but this is usually minor and temporary.

Please see additional Important Safety Information on last page.



Treatments can happen every 3 months. Don't miss an appointment.

Scan the code to receive QUTENZA updates at **QUTENZA.com**.



My next QUTENZA treatments

First treatment:		
DATE	TIME	
Next treatments:		
DATE	TIME	
DATE	TIME	
DATE	TIME	

INDICATION

QUTENZA® (capsaicin) 8% topical system is indicated in adults for the treatment of neuropathic pain associated with postherpetic neuralgia (PHN) and for neuropathic pain associated with diabetic peripheral neuropathy (DPN) of the feet.

IMPORTANT SAFETY INFORMATION

 Treatment with QUTENZA must be performed only by a healthcare provider. You should never apply or remove QUTENZA yourself.

Please see additional Important Safety Information on next page.

INDICATION

QUTENZA® (capsaicin) 8% topical system is indicated in adults for the treatment of neuropathic pain associated with postherpetic neuralgia (PHN) and for neuropathic pain associated with diabetic peripheral neuropathy (DPN) of the feet.

IMPORTANT SAFETY INFORMATION

- Treatment with QUTENZA must be performed only by a healthcare provider. You should never apply or remove QUTENZA yourself.
- Do not touch QUTENZA or items exposed to capsaicin. Touching QUTENZA and then accidentally touching other areas of your body can cause severe irritation of eyes, mucous membranes, respiratory tract, and skin.
- Do not touch your eyes or other unintended target areas during the QUTENZA application. QUTENZA is not for use near eyes or mucous membranes. Do not sniff or inhale near QUTENZA as this may cause you to cough or sneeze. If irritation of eyes or airways occurs or any side effects become severe, notify your doctor immediately.
- The treated area may be sensitive to heat (e.g., hot showers/bath, direct sunlight, vigorous exercise) for a few days following treatment.
- You may experience substantial pain during the treatment. Tell your healthcare provider if you are experiencing pain; a cool compress or medicine for the pain can be provided to help lessen your discomfort.
- QUTENZA can cause serious side effects, including pain and increases in blood pressure during or right after treatment. Your healthcare provider should check your blood pressure during treatment with QUTENZA. If you have high blood pressure that is not well controlled by medicine, or have had recent heart problems, stroke, or other vascular problems, you may be at increased risk and should discuss with your doctor whether QUTENZA is right for you.
- Tell your doctor if you have reduced sensation in the feet. You may notice that you have less feeling for hot or sharp pain where QUTENZA was applied, but this is usually minor and temporary.

The most common side effects of QUTENZA are redness, pain, or itching where QUTENZA was applied. You should tell your doctor if any side effects bother you or do not go away.

To report suspected adverse reactions, contact Averitas Pharma, Inc. at 1-877-900-6479 (Option 1) or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

For more information, ask your healthcare provider or pharmacist.

Please see full <u>Prescribing Information</u>.



QUTENZA® is a registered trademark of Averitas Pharma, Inc. © 2023 Averitas Pharma, Inc. All rights reserved. QZA-07-23-0010 v1.0 August 2023

My QUTENZA Connect Cost Savings Program

Eligible, commercially insured patients may save on out-of-pocket prescription and in-office administration costs.

QUTENZA DRUG SAVINGS

You may pay as little as \$25 for your prescription. Up to \$4,350 annual savings.

\$25*

OUTENZA ADMINISTRATION SAVINGS

You may pay as little as \$0 for your QUTENZA administration. Up to \$1,500 annual savings.



The program may apply toward copay, coinsurance, and deductibles.

You may be eligible if you:

- · Have commercial insurance
- · Are 18 years of age or older
- · Have a valid prescription for QUTENZA

You may not be eligible if you:

- Have Medicare, Medicaid, TRICARE, or any other state or federal health insurance
- · Pay for your prescription with cash
- · Are uninsured
- · Are insured, but OUTENZA is not covered
- · Are insured, but the procedure code is not covered

Scan the code for full eligibility, terms, and conditions, or visit

QUTENZA.com/cost-savings.

*Terms and conditions may apply.



IMPORTANT SAFETY INFORMATION (cont)

The most common side effects of QUTENZA are redness, pain, or itching where QUTENZA was applied. You should tell your doctor if any side effects bother you or do not go away.

Please see additional Important Safety Information on last page.





Get on to your own great feats.

INDICATION

QUTENZA® (capsaicin) 8% topical system is indicated in adults for the treatment of neuropathic pain associated with postherpetic neuralgia (PHN) and for neuropathic pain associated with diabetic peripheral neuropathy (DPN) of the feet.

IMPORTANT SAFETY INFORMATION

- Treatment with QUTENZA must be performed only by a healthcare provider. You should never apply or remove QUTENZA yourself.
- Do not touch QUTENZA or items exposed to capsaicin. Touching QUTENZA and then accidentally touching other areas of your body can cause severe irritation of eyes, mucous membranes, respiratory tract, and skin.
- Do not touch your eyes or other unintended target areas during the QUTENZA application. QUTENZA is not for use near eyes or mucous membranes. Do not sniff or inhale near QUTENZA as this may cause you to cough or sneeze. If irritation of eyes or airways occurs or any side effects become severe, notify your doctor immediately.
- The treated area may be sensitive to heat (e.g., hot showers/bath, direct sunlight, vigorous exercise) for a few days following treatment.
- You may experience substantial pain during the treatment. Tell your healthcare provider if you are experiencing pain; a cool compress or medicine for the pain can be provided to help lessen your discomfort.
- QUTENZA can cause serious side effects, including pain and increases in blood pressure during or right after treatment. Your healthcare provider should check your blood pressure during treatment with QUTENZA. If you have high blood pressure that is not well controlled by medicine, or have had recent heart problems, stroke, or other vascular problems, you may be at increased risk and should discuss with your doctor whether QUTENZA is right for you.
- Tell your doctor if you have reduced sensation in the feet. You may notice that you have less feeling for hot or sharp pain where QUTENZA was applied, but this is usually minor and temporary.

The most common side effects of QUTENZA are redness, pain, or itching where QUTENZA was applied. You should tell your doctor if any side effects bother you or do not go away.

To report suspected adverse reactions, contact Averitas Pharma, Inc. at 1-877-900-6479 (Option 1) or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

For more information, ask your healthcare provider or pharmacist.

Averitas

Please see full Prescribing Information.